ELSEVIER

Volume 282 Numbers 1–2, 15 January 1999

Journal of ALLOYS AND COMPOUNDS

Contents

Letters

Neutron diffraction studies of the crystal and magnetic structures of $PrCu_2Sn_2$ and $NdCu_2Sn_2$ L1
S. Baran (Kraków, Poland), M. Hofmann (Berlin, Germany), A. Szytuła (Kraków, Poland)

Crystallographic data of new ternary Co_2Si-type RTSi (R=Y, Tb–Tm, T=Mn, Ru) compounds L4
A.V. Morozkin, Yu.D. Seropegin, I.A. Sviridov, I.G. Riabinkin (Moscow, Russia)

Magnetic properties of RAuGe compounds (R=Pr, Nd, Tb–Er) L6
B. Penc, S. Baran (Kraków, Poland), M. Ślaski (Birmingham, UK), A. Szytuła (Kraków, Poland)

Binary compounds in the Ge–Ti system L9
T.A. Jain, C.R. Kao (Chungli, Taiwan)

Physics

Electrical resistivity of liquid Cu–Eu and Cu–Gd alloys 1
V.V. Berezutski, M.I. Ivanov (Kyiv, Ukraine)

Influence of manganese concentration on the ESR spectrum of Mn^{2+} in CaO 5
R.S. de Biasi, M.L.N. Grillo (Rio de Janeiro, Brazil)

Crystal and magnetic structures of Nd_2Ni_2Sn and Dy_2Ni_2Sn compounds 8
B. Penc (Kraków, Poland), M. Hofmann (Berlin-Wannsee, Germany), M. Ślaski (Birmingham, UK), P. Starowicz, A. Szytuła (Kraków, Poland)

Magnetic behaviour of $U_{1-x}Gd_xLaAl_4$ system 14
I. Lupsa, P. Lucaci, E. Burzo (Cluj-Napoca, Romania)

X-ray Debye temperature and Grüneisen constant of NpO_2 17
H. Serizawa, Y. Arai, M. Takano, Y. Suzuki (Ibaraki-ken, Japan)

Hydrogen-induced changes of the magnetic properties of copper–cobalt multilayers 23
K. Kandasamy, M. Masuda, Y. Hayashi (Fukuoka, Japan)

Thermal expansion of $Mn_{2-x}Cr_xSb$ single crystals 32
J. Engelhardt, E. Gmelin, M. Asen-Palmer (Stuttgart, Germany), Ch. Kleeberg, A. Kattwinkel, K. Bärner (Göttingen, Germany)

Hydrogen isotope electromigration and impurity effect in vanadium 38
K. Fujii, K. Hashizume, Y. Hatano, M. Sugisaki (Fukuoka, Japan)

Structural chemistry and magnetic behaviour of the ternary silicides UCu_xSi_{2-x} ($0.28 \leq x \leq 0.96$) 44
S. Pechev, B. Chevalier, B. Darriet, J. Etourneau (Pessac, France)

Magnetic properties of RPdGe (R=Gd,Dy,Ho,Er) compounds 52
B. Penc (Kraków, Poland), M. Hofmann (Berlin-Wannsee, Germany), A. Szytuła (Kraków, Poland), A. Zygmunt (Wrocław, Poland)

Nickel-substituted skutterudites: synthesis, structural and electrical properties 58
L. Chapon, D. Ravot, J.C. Tedenac (Montpellier, France)

Magnetic phenomena in $UNi_{1-x}Rh_xAl$ compounds 64
A.V. Andreev, R.V. Dremov, V. Sechovský (Prague, Czech Republic), Y. Uwatoko (Urawa, Japan), N.V. Mushnikov, T. Goto (Tokyo, Japan), K. Prokeš (Prague, Czech Republic), Y. Shiokawa, Y. Homma (Sendai, Japan), I.H. Hagmusa, J.C.P. Klaasse (Amsterdam, The Netherlands)

Chemistry

The crystal structure of magnesium dicarbide 72
P. Karen, A. Kjekshus (Oslo, Norway), Q. Huang, V.L. Karen (Gaithersburg, MD, USA)

Elsevier Science S.A.

The structure of cesium tellurate (VI) by combined EXAFS and powder X-ray diffraction 76
M.T. Weller, M.J. Pack, N. Binsted, S.E. Dann (Southampton, UK)

Atom insertion into the $CoSb_3$ skutterudite host lattice under high pressure 79
H. Takizawa (Sendai, Japan), K. Miura (Chiba, Japan), M. Ito (Sendai, Japan), T. Suzuki (Chiba, Japan), T. Endo (Sendai, Japan)

Thermodynamic investigation of the magnesium–hydrogen system 84
B. Bogdanović (Mülheim an der Ruhr, Germany), K. Bohmhammel, B. Christ (Freiberg, Germany), A. Reiser, K. Schlichte, R. Vehlen (Mülheim an der Ruhr, Germany), U. Wolf (Freiberg, Germany)

Electrochemical lithium and sodium intercalation into the tantalum-rich layered chalcogenides Ta_2Se and Ta_2Te_3 93
P. Lavela (Córdoba, Spain), M. Conrad, A. Mrotzek, B. Harbrecht (Marburg, Germany), J.L. Tirado (Córdoba, Spain)

Electrochemical deoxidation of RE–O (RE=Gd, Tb, Dy, Er) solid solutions 101
K. Hirota, T.H. Okabe, F. Saito, Y. Waseda, K.T. Jacob (Sendai, Japan)

Synthesis, processing and microstructural characterization of $CaSnO_3$ and $SrSnO_3$ ceramics 109
A.-M. Azad, L.L.W. Shyan, P.T. Yen (Selangor, Malaysia)

Cubic $CsCaH_3$ and hexagonal $RbMgH_3$: new examples of fluoride-related perovskite-type hydrides 125
F. Gingl (Genève, Switzerland), T. Vogt (Upton, NY, USA), E. Akiba (Ibaraki, Japan), K. Yvon (Genève, Switzerland)

Metallurgy

Investigation of diffusion and electromigration of hydrogen in palladium and PdAg alloy 130
R. Pietrzak, R. Szatanik (Opole, Poland), M. Szuszkiewicz (Wrocław, Poland)

Strain-induced interaction of dissolved interstitial and substitutional atoms in fcc metals 137
M.S. Blanter (Moscow, Russia)

Thermodynamic evaluation and calculation of phase equilibria of the Ti–Mo–C–N quaternary system 142
H.-J. Chung, J.-H. Shim, D.N. Lee (Seoul, South Korea)

Calorimetric investigation of the solid compounds of the Au–Pb system 149
A. Bouhajib, A. Nadiri, A. Yacoubi (Meknès, Morocco), H. Bros, R. Castanet (Marseille, France)

New $NdRuSi_2$-type $NdCo_{1-x}Fe_xSi_2$ ($0<x\leq 1$) and $RFeSi_2$ compounds (R=Nd, Sm, Gd, Tb) 153
I. Ijjaali, G. Venturini, B. Malaman (Vandoeuvre les Nancy, France)

Structure change in Fe_4N powders by mechanical milling: a new aspect and correction of our previous reports 158
K. Sumiyama, H. Onodera, K. Suzuki, S. Ono (Sendai, Japan), K.J. Kim (Hiratsuka, Japan), K. Gemma, Y. Nishi (Taejon, South Korea)

Study of the Ag–In–Te ternary system. I. Description of the triangle Ag_2Te–In_2Te_3–Te 164
Z. Bahari, J. Rivet (Paris, France), B. Legendre (Châtenay-Malabry, France), J. Dugué (Paris, France)

Calculation of phase equilibria and evaluation of glass-forming ability of Ni–P alloys 175
J.-H. Shim, H.-J. Chung, D.N. Lee (Seoul, South Korea)

Crystal structure of $Mo_9Fe_{4.75}Al_{0.25}$ 182
J. Stępień-Damm (Wrocław, Poland), P. Salamakha (L'viv, Ukraine), K. Wochowski, W. Suski (Wrocław, Poland)

Neutron diffraction study of the location of deuterium in the deuterium-stabilized $HfTi_2D_4$ phase 184
P. Fischer (Villigen, Switzerland), F. Fauth (Villigen, Switzerland and Grenoble, France), G. Böttger (Villigen, Switzerland), A.V. Skripov, V.N. Kozhanov (Ekaterinburg, Russian Federation)

Structural and phase transformations in quenched and aged Zr–Ru alloys 187
N.I. Taluts, A.V. Dobromyslov, V.A. Elkin (Ekaterinburg, Russian Federation)

Materials Science

Synthesis, characterization and hydrogenation behaviour of composite hydrogen storage alloys, $LaNi_5/La_2Ni_7$, $LaNi_3$ 197
S. Srivastava, O.N. Srivastava (Varanasi, India)

Kinetics study of the spinodal decomposition in the Fe–30.8Cr–12.2Co alloy by Mössbauer spectrometry 206
S. Alleg, B. Bouzabata (Annaba, Algerie), J.M. Greneche (Le Mans, France)

The production of a $Nd_{16}Fe_{76}B_8$ sintered magnet by the hydrogen decrepitation/hydrogen vibration milling route 213
A. Kianvash, I.R. Harris (Birmingham, UK)

Surface roughening of $ZrV_{0.5}Ni_{1.5}$ hydride compacted with metal powders 220
D. Lupu, P. Mărginean, A.R. Biriş (Cluj-Napoca, Romania)

The temperature features of the rapidly quenched $Mm(NiCoMnTi)_5$ alloy as a negative electrode 225
C.-J. Li, X.-L. Wang (Beijing, Peoples Republic of China)

Calorimetric investigations of $SrMoO_3$ and $BaMoO_3$ compounds 231
R. Agarwal, Z. Singh, V. Venugopal (Mumbai, India)

Structural, thermomagnetic and magnetostrictive properties of nanocrystallized Fe–Cu–(Nb)–Si–B–(N) ribbons 236
S. Grognet, H. Atmani (Mont-Saint-Aignan, France), R. Zuberek (Warsaw, Poland), K. Zellama (Amiens, France), J. Teillet (Mont-Saint-Aignan, France)

Dehydriding kinetics of a mechanically alloyed mixture Mg–10wt.%Ni 243
M.Y. Song (Chonbuk, South Korea), J.-P. Manaud, B. Darriet (Pessac, France)

Microstructure dependence of the magnetic properties of nanocomposed magnets 248
A. Szlaferek (Poznan, Poland)

Phase components and hydriding properties of the sintered Mg–$x$wt.% $LaNi_5$ (x=20–50) composites 252
D. Sun, H. Enoki, M. Bououdina, E. Akiba (Ibaraki, Japan)

Formation of γ-$Cu_{67}Al_{33}$ alloy by mechanical alloying 258
J.C. de Lima, D.M. Trichês, V.H.F. dos Santos, T.A. Grandi (Santa Catarina, Brazil)

Effect of Cu powder as an additive material on the inner pressure of a sealed-type Ni–MH rechargeable battery using a Zr-based alloy as an anode 261
D.-M. Kim, H. Lee, K. Cho, J.-Y. Lee (Taejon, South Korea)

Magnetic and microstructural properties of Sn/Nb substituted Mn–Zn ferrites 268
A.D.P. Rao, B. Ramesh, P.R.M. Rao, S.B. Raju (Visakhapatnam, India)

Influence of surface treatment by HCl aqueous solution on electrochemical characteristics of a $Mm(Ni–Co–Al–Mn)_{4.76}$ alloy for nickel–metal hydride batteries 274
T. Imoto, K. Kato, N. Higashiyama, M. Kimoto, Y. Itoh, K. Nishio (Osaka, Japan)

Role of surface properties on the wettability of Sn–Pb–Bi solder alloys 279
L.C. Prasad (Bhagalpur, India), A. Mikula (Vienna, Austria)

Hydrogen storage properties of nanocrystalline $Mg_{1.9}Ti_{0.1}Ni$ made by mechanical alloying 286
G. Liang (Québec, Canada), J. Huot, S. Boily (Varennes, Canada), A. Van Neste (Québec, Canada), R. Schulz (Varennes, Canada)

Fabrication of Nb–Si fine powders by hydriding bulk alloys directly in an arc-melting chamber 291
X.G. Li, K. Kikuchi, M. Sato, A. Chiba, S. Takahashi (Morioka, Japan)

Phase separation of Mg_2Ni by hydriding–dehydriding cycling 297
M.Y. Song (Chonbuk, South Korea)

Addendum to "Isothermal sections of the Ru-Si-Ge, Ru-Ge-Sn and Ru-Si-Sn systems at 900°C" [274 (1998) 201–205] 303
L. Perring (Lausanne, Switzerland and Vandoeuvre-lès-Nancy, France), F. Bussy (Lausanne, Switzerland), J.C. Gachon (Vandoeuvre-lès-Nancy, France)

Author Index of Volume 282 305

Subject Index of Volume 282 307

CONTENTS DIRECT

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. The quickest way to register for **ContentsDirect** is via the World Wide Web at: **www.elsevier.nl/locate/ContentsDirect**

If you don't have access to the WWW you can register for this service by sending an e-mail message to cdsubs@elsevier.co.uk specifying the title of the publication you wish to register for.

The tables of contents are also available on the Elsevier Science website at: www.elsevier.nl or www.elsevier-.com or www.elsevier.co.jp